HIGH PERFORMANCE LOW COSTPOWER CONDITIONING SUBSYSTEMS USING SMART POWER / POWER INTEGRATE D CIRCUITS IN PHOTOVOLTAIC POWER SYSTEMS

Radhe S. L. Das*

Jet Propulsion Laboratory

California Institute of Technology

Pasadena, California, 91109

Stanley Krauthamer
Jet Propulsion Laboratory
California Institute of Technology
Pasadena Collornia 91109

Alec Bulawka
Photovoltaic 1 echnology Div
U.S Department of Energy
Washington, DC 20585

ABSTRACT

A high parts count in power conversion and control systems utilizing discrete components and a mix of discrete circuits controlled by microprocessors and AS]('s preducts realization of the highest system reliability due to his h failure rate, and the highest efficiency due to various loss mechanisms. In addition, cost, weight and volume are als o not optimal due to large number of discrete devices, and sometimes due to control and protection implementation schemes. Fortunately, new technologies are. on the horizon that offer dramatic improvements in reliability, cost an 3 performance of power conditioners. Such newtechnologies arc: SmartPower (S1') and Power Integrated Circuits (t'JCs). Withincreasing voltage and current ratings and high volume production of such circuits, these technologies are the wave of the future in providing high performance low costpoyer conditioning subsystem (PCS) in small to leager person of applications. Efforts arc currently underwaying overnment and industrial organizations 10 realize this goal.

This paper discusses circuit designs using these devices that are suitable for PCS inphotovoltaic and other industrial applications. Such as electrical appliances, instrumentation, AC motor drives, battery chargers, automobiles telecommunications, UPS, and switch mode power supplies. It examines the cost of high volume production and current technological barriers associated with the development of these technologies. Some U.S. government and international programs currently in place are presented. Currently

available funding opportunities are included. Government-industry partnership activities required to promote this technology and extend at to include applications in increasingly larger systems are discussed. Currently available handware, their ratings and manufacturers are presented. For photovoltaic applications, the concept of "A('panel' with PCS using SP/PIC hardware and mounted on the back of PV panel for large so ale potential communicalization (If self-contained units is being pursued in the U.S. and other countries

It is concluded that as Smart Power technology matures, and available hardware ratings merease, the application market of the se technologies will expand as a result of increasing synergism between various application sectors and decreasing production costs. In the meantime, efforts to eliminate technological barriers and 10 accelerate applications mist continue with the help of government programs, in lustry investments and information dissemination.

INTRODUCTION

The conversion of free and abundantly available solar energy into cost-competitive electrical power has been the goal of many reclated efforts for over 15 years. In the post-Teslaculture AC electricity is, by far, the most common form of electrical power use in the U.S.A and in the world. Utilities have; dopted A(' as a standard of generation and

[•]Also a Professor of Electrical Engineering, California StateUnixer sity, Long Beach, CA 90840

full ty compatible AC power.

The dominant cost driver of a PV system 1. the PV array with its costs ranging from \$4.()() to \$8.00 perped v. It. The PV costs is in the range of .\$.50 to \$1.50 per in, o monrated watt output. The other balance-of-system (BOS) costs range from \$1.00 to \$4.00 per watt, again depending up on system size, voltage ratings, structure requirements, and system design, with the PCS in a critical path that directly impacts the size of the array, BOS costs, and the delivered cost of power, it is obvious that improvements in Pexperformance can have a positive leveraging effect of teta system size and cost.

1 [was realized that the residential utility-inactive or, ordatione PV systems and intermediate-size PV systems in streecive full attention for large scale commercialization (FV) power. It was also realized that a near-terill focus must be on small PCS development. However, development of mechanistize PCSs is important because they are of convenients rethat can be used independently or as building blocks for larger systems. A single PCS, or multiple PCS's of this size operating in parallel, can provide power at commercial complexes or industrial plants,

small stand-alone PV systems or intermediate and residential-size utility-interactive systems, the development of low cost, highly efficient and reliable PCSs in the Small to medium power range is a focal point for assuring the viability of PV systems as an alternative energy source. Current of the intermediate in utility-interactive BOS dwell on development of residential and intermediate-size PCS hardware.

Some new electronic component technologics have advanced to the point where they could improve fluctury and reliability of PCSs. These new technologies include PICs, smart power, ASICs, novel integrated (ment(IC) architecture, and improved packaging techniques. Some new semiconductor devices have matured to the point of lining currently available for J'('S applications.

The term Smart Power refers [0] integration of power control, protection, and sensing functions into one packag. The term Power Integrated Circuit refers to more of the structure capable or performing power switching and control functions. That is, both logic gates and power control functions. That is, both logic gates and power control devices are put on the same chip instead of building separate chips and wiring the integrated over an entire wafer. Rather than making individual chips on a wafer, dicing them, and then interconnecting them to make a system, and the devices of a system are integrated in one monolithic process. Logic to device drivers and high-voltage output devices are complet. Sometimes, the terms Smart Power and Power Integrate. Circuits are used interchangeably.

A combination of high-voltage and high frequency in smart power designs permits the use of digital control such as PWM control, resulting in high efficiency designs with efficiency up to 95 percent and in substantial reductions in volume and weight. In many applications where there is a need of a dedicated low voltage power supply for control purposes this requirement may be eliminated in smart power implementation. This may significantly reduce the total power system weight, volume and cost,

Smart power implementation enhances the reliability of power system because of dramatic reduction in the number of separate parts along with associated reduction in failure rate. Since PIC high voltage rating exceeds the operating voltage, the voltage markin is increased resulting in higher reliability. Realth ednumber of interconnections also enhances the reliability. Silicon requirements is greater in PIC implementation, than that required in implementation using control chips and power convers ion using discrete devices. However, this additional silicon provides the isolation between the two circuits.

In addition, with smaller size, no external parts, higher frequency, better feedback and lower production cost, the PIC implementation becomes more compact and attractive. With increasing voltage, the (II(size is larger, With increasing applications, smart power implementation is cheaper. Similarly, for higher current, the dic si7c is larger and more expensive. However, as the production quantity increases, new technologies and packaging techniques will emerge. As a result, the cost will definitely come down as in cases of other semiconductor devices (Das, R., Krauthamer, S., Bulawka, A., 1996).

MARKETOPPORTUNITIES AND DECREASING COST

As smart power technology matures and its ratings increase, the market of its applications will expand. Presently, smartpower technology frnds applications in electrical appliances, instrumentation, brushless DC motors, stepper motors, flat panel displays, automatic tests equipment, axionics, printers, security systems, automobiles and telecommunications. However, terrestrial, space military and accreaft powersystems will find increasing use of this technology as it matures and its voltage and cluric.nt ratings increase. In his expanding market will quickly include photovoltaic systems, battery chargers, AC motor drives, robots, UPS and inverters

"I here are many types of smart power and power integrated circuit devices for various applications. "Their input/output ratings are different. "I hey are manufactured by various manufacturers From manufacturer's data books, it is clear that tailware does exist for power conversion, control and protection, and ranges extend from low-end to high-end. Of voltage and current. The trend continues towards higher ranges of voltage and current ratings, covering an increasing number of applications. Table I shows which manufacturer

currently produces which type of hardware. This Table has been developed to provide an overview of the marketplace by dots not necessarily coverall manufacturers.




TABLE 1. HARDWARE MANUFACTURED BY DIFF TENT MANUFACTURERS

Generally, the selling price/kW for various electronice products decreases with their increasing kWrating. In addition, the cost is generally lower with higherproduction volume. In the case of PCS hardware, it is found that the decreasing price has steeper slope for scalathan for production quantity. That is, larger module sizes havelowed costs per watt for the same production volume. I agone I shows a curve indicating economy of production volume for PCS hardware. Similarly, Figure 2 shows economy of scille (Krauthamer, S. et al., 1994), and (Bulawka, A. et al., 1994).




FIGURE 1. SE1 LING PRICE/WATT VS. QUAN TIY - ECONOMY OF 1'110DUCTION VOLUME




FIGURE 2 SELLING PRICE VS. POWER RATING -E CONOMY OF SCALE

PIC technology, whenfully developed in terms of ratings and isolation, will offer an opportunity 10 make significant improvements in cost and performance, and offer promise of meeting (he- U S. Department of Energy (DOE) cost and performance goals. Although the use of PICs will be initially limited 10 small and intermediate-size PCS, large PCS may also use them

A typical growth pattern of smart power technology with application potential invarious industrial sectors such as military and acrospace, automotive, telecommunication, electronic data processing and industrial power and speed control is indicated in) iguit 3. Needless to say, the PIC market is enormous and growing (Smith, 1980)




FIGURE 3. POTENTIAL SALES OF SMART POWER INTEGRATED CIRCUITS IN MILLION OF DOLLARS

U.S. GOVERNMENTENERGY PROGRAMS

There are many activities supported by the DOE that will assist in realization of full potential of smart p o wer technology and help meet DOE goals. For example, as part of the National Photovoltaic Program's Balance-of-System

Initiative, DOE through Sandia National Laboratory (SNI) PV Systems. Application's Department funded anoffering determine the status of smart power and PIC technologic, This effort was intended to provide literature research, and evaluation of available newsmart power components and the chnologies that are applicable 10 PV systems, and the associated 19(ss.

As a result, the first workshop on smart powerwasheld at the California Institute of Technology (Caltech) on Mar 20, 1987. Many presentations were made [0 cover both technology anrt applications. The workshop concluded that no real technical barrier existed that would prevent the application of smart power concepts to PV-specific system. On addition, solutions 10 current reliability problems that constrain PV systems operations today may be evolved by using smart power (Krauthamer, S. et al, 1995).

Much development had occurred in PIC and smartp over devices and their applications since the first work shop. Therefore, a second workshop was held on December 89, 1993, at Caltech. Sponsors included DOB-PV, SNL, National Renewable Energy Laboratory (NREL), Interagency Advanced Power Group (IAPG), EPRI, Power Electronics Applications Center (PEAC), and JPL. High caliber individuals from smit power manufacturers not only participated in this might y advertised, high quality works hop, but demonstrated the in enthusiasm and commitment to 1°V PCS developments as well.

The results of this workshop were four-fold First the workshop provided an understanding of the current state of the-art of smart power and PIC technology. Second the strengths and technological barriers of PIC technologyway identified. I'bird, usage of PIC technology in various \ V applications was identified. Fourth, programmaticsteps to further the uses of the smart power technology week identified. These arc: (1) develop a plan to transfer smart power/1'IC' technology from smart power industry to I'V P(S industry. (2) develop R&D program to identify small power/PI~ devices for integration into PV P('S units (1) establish and maint ain a current database on smart powe TC hardware, (4) plan and organize a workshop on smartpowy in 1995, and (5) monitor the development of a small 111111AC (50W or less) modular inverter adaptable to PV modules, under SBIR and other programs (Krauthamer, S, ctal, 1995, 1994).

A PCS effort currently underway and tailor-made fors mat power technology is one using an integrated, nearly monolithic, PCS to further the concept of an "ACPV module". This effort is being supported by funding from the Environmental Protection Agency (EPA), SBIR, and SNI The ACPV module concept was discussed within the DOLA' v program as early as 1975, but the necessary electronic, was not of age at that time. An "ACPV module" would fact that expansion of installed PV systems and addinew dimension. The idea here is to use a hybridized PCS integrated with smit power module on the panelitself for AC or IXC output.

con bination of high voltage and high frequency operation in smart power designs will permit the Use. of digital control such as PWM, resulting in high efficiency designs. Efficiencies of up to 95 percent and Substantial reductions in ar obtainable. volum ani weight implementation (oald abancethe reliability of a PCS because of dramatic reduction in the number of discrete parts. Reduces number of interconnections also enhances the reliability, smalle i size, no external parts, higher operating frequency, better feedback and lower production cost, enhances the creliability Smallersize, no external parts, higher operating frequency, better feedback and lower [][(),111(hon cost, chhane('S smart power and PIC implementation in PCS designs. Other countries such as the Netherlands are active madvancing and using "A(" panels".

The Photovolt aid Man Macturing Technology (PVMaT) project is a historic government/industry partnership to carry out research and development (R&D) in the area of photovoltaic (PV) manufacturing. PVMaT consists of joint activities between the 11. S. Department of Energy (DOE) and members of the [1. S. PV moistry. The project's ultimate goal is to ensure that (1. s industry not only retains but extends its world leadership role in manufacturing and commercially developing PV components and systems.

DOD/SERDPs a joint IXOF/DOD/EPA program on energy conservation/renewable resources. Fundings for 1991, 1993 and 19 24 were \$4,000K each year with completion projected in 2001. There are four development stages required 10 implement? Vinto a DOD application class. These arc.:

- Technology development
- * 4 cchnologydemonstration
- Application validation, and
- Implementation

Modular power processing hardware for PV applications is an objective (if the Small Business in novative Research (SBLR) program There is a need for modular and manufacturable I'('S hardw; rethat is a multipurpose electronic convener with code-certifiable solid state AC and IXC interfales and control circuits. 14 ger modular sizes (S0-?50 kW) are needed for PV operation in conjunction with batterie., deselgenerators andfuel cells for applications. The use of the state-of-the art technology such as ASICs, Pl As, and microprocessors is encouraged to promote modular designs that can use advancedautomated manufacturing processes. Smaller (50 2250W) PV module PCSs that operate as an integral part of available PV modules and provide an output of 1 I(IV at 60Hz of utility quality power are currently being developed. Commercialization of this development could revolutionize the PV industry by providing an "AC PV module" that has built-in maximum power point [racking and AC safety interface functions. It **could essentially** be an AC appliance that supplies power, and would avoid the DC-side issues of array mismatching, array utili?.alien, shadowing Utility-side connections would still have to meet applicable codes but the interface would be easier with proven devices.


POWER ELECTRONIC BUILDING BLOCKS (PEBB)

The first power electronic revolution has been developmed of smart power and power integrated circuits. development program is taking full advantage of ments of This technology in terms of size, cost and performance in a attempt to make PV power system competitive with other sources of power and used at a large scale. The se conelectronic revolution is currently underway in II t development of power electronic building block (§1 BBia) the office of Naval Reserve in the U. s. Departmentofil t Navy. This effort is supported by the EV-IXDEProgram major American manufacturers, and universities here is 10 shift power engineering for circuit design, systems design such that complex power electronic circuis will be replaced with a single device, development and design costs for complex power circuits will be reduced and development and design of large electric powersystems w 11 be specified. Navy is contemplating applications of suh building blocks in bus transfer switches, circuit breakers, actuators, adjustable speed drivers, inverters and converters, power supplies and motor controllers. The net result of POB applications will be digitally controlled power, flow it be system architecture, automated manufacture and reduced cost

The PEBB essentially consists of DC-AC conversion switch, input and output filters, and required controls. Tiggre 4 shows a PEBB conceptual representation. Some functional details are shown in Figure 5. PEBB is going to be are ill!) because of its real ability in improving controls of high currents and voltage, increasing system reliability at d reduced cost. It affords usc of power electronics in a will: range of applications. However, there are some technical issues related to the full-scale development of $PEBBThesc\,$ issues include, processing of semiconductors, MC1chips, driver and control, packaging and systemintegration Certain strategies are being pursued to address these issues These include (i) the usc of concurrent research and engineering by developing components by integrating PIEB and by engineering applications (ii) development of intermediate product demonstrations by demonstrating different prototypes and b y providing feedback for establishing research priority and (iii) promotion of commerci aliz ation by producing large production volumes and by demonstrating PEBB reliability. In other words, development of PBBB includes both product and process development.

U.S. Navy's efforts in developing PEBB are directed towards significant cost and performance improvements in a variety of their applications. They are taking a minimal directional approach: form research on major improvement in solid-stated switching technology, integrate SP technology into solid state switches, develop packaging technology, define system architectures for PEBBs, develop system applications and demonstrations, provide leadership

for development of inchods and practices in power electronics, and develop devices in consort with industry to facilitate commercial markets



LIGURE 4 A PERBOONCEPTUALREPRESENTATION




FIGURE 5. FUNCTIONAL DETAILS OF A PEBB

Apparently, there is a synergism between PEBB development effort of the U.S. Navy and Smart Power activity of U.S. Department of 1 nergy for PV power program. The objective is the same: improvement of performance at reduced cost invarious applications using power electronic power conversion. Smartpower is the core of both efforts. PEBB uses the block of subsystems concept and can be used in PV systems, especially in "PV AC module". As a result of this synergism, the 11. s DOE PV Program is currently participating in the PLBB as a means of supporting an R&D

effort for future PV PCS.PEBB development effort is 1 X H's current focus in PCS development.

CONCLUSIONS

Based on survey and evaluation of activities in the arccof commercialization of PV power, some conclusions c, who made. These are:

- 1. The cost of PCS for photovoltaic power systems using SP/PIC technologies will be decreasing with volume thereby reducing cost/kW of PV power.
- 2. The efficiency and reliability of PCS using SP/PIC vin improve with their development and ratings
- 3. There is a growing synergism between government programs and within the industry. Industry is responsive and government programs encourage industry through technology transfer.
- Development of "AC panels" in U.S. and other countries is growing. This will lead to large scill commercialization.
- 5. Government efforts to promote applications of Store Power in PV applications and to stimulate activities in PEBB Program within the Government sectors are private sectors must continue.
- 6. Technology transfer through workshops and publications must be encouraged to stimulate in with interest in PV applications and commercialization.

ACKNOWLEDGEMENTS

The work described in this paper was performed by the let Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronauties and Space Administration.

REFERENCES

Bulawka, A., Krauthamer, S., and Das, R. S. 1, 'U s Department of Energy Directions in Photovoltaic Pover Conditioner Development Using Smart Power/Pover Integrated Circuits", <u>First World Conference on Photovoltaic</u> <u>Energy Conversion</u>, Waikola, 311, Dec. 5-9, 1994.

Bulawka, A., Krauthamer, S., and Das, R. S. I., "Photovoltaic Power Conditioners: Development, Evolution and The Next Generation," IECEC. Monterey, ('A., Aug./-12, 1994)

Das, R., Krauthamer, S., and Bulawka, A., "Smart Power! Power Integrated Circuit Technologies in Photovoltaic Power Conditioning Subsystem Designs: Survey. Pltd Assessment." report prepared for U.S. Department of Energy by Jet Propulsion laboratory, January, 1996.

Krauthamer, S., Das, R. S. L., and Bulawka, A, "Current Directions In Photovoltaic Power Conditioner Development

Using Smail Power/Power Integrated circuit s," IECEC, Orbin k), FL, July 31-Aug 4, 1995

Smith, M., "Smart Power Economics, Technology and Applications," Interfect Communications Inc., edited 1988